



**Product Name:** MICO-TROL CO-INJECTION FLUID

**Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

**Material Name**

MICO-TROL CO-INJECTION FLUID

**Synonyms**

MICO-TROL

**Product Use**

Funeral Home Embalming Products.

**Restrictions on Use**

Only for use by Licensed Embalmers.

**Details of the supplier of the safety data sheet**

Dr. G.H. Michel - Restor-Skin Company  
PO Box 337  
202 Sixth Street  
East Brady, PA 16028  
Phone: 1-800-635-3403  
Emergency Phone #: 1-724-526-3565  
E-mail: fourcogs16028@yahoo.com

**Product Code**

Product Size(s): 16 oz. (Pint) Bottles

**Section 2 - HAZARDS IDENTIFICATION**

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Reproductive Toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1 ( Central Nervous System , heart , kidneys , respiratory system )

Specific Target Organ Toxicity - Repeated Exposure - Category 1 ( Central Nervous System , heart , respiratory system , kidneys )

**GHS Label Elements**

**Symbol(s)**



**Signal Word**

Danger

**Hazard Statement(s)**

May damage fertility or the unborn child.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

**Precautionary Statement(s)**

**Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.

**Response**

If exposed: Call a POISON CENTER or doctor/physician.  
Specific treatment (see label).

**Storage**

Store locked up.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

CAS	Component Name	Percent
25322-58-3	Carbowax Peg 400	15-20
107-21-1	Ethylene glycol	5-10
6132-04-3	Trisodium citrate dihydrate	1-5
No CAS Number	Dye	1-5
8039-09-6	PEG-75 Lanolin	1-5

The chemical identity and/or percentage of composition is being withheld as a trade secret.

**Section 4 - FIRST AID MEASURES**

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor.

**Skin**

Gently wash with plenty of soap and water. Get medical attention, if needed.

**Eyes**

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**Ingestion**

Call a POISON CENTER or doctor/physician if you feel unwell.

**Most Important Symptoms/Effects**

**Acute**

Causes damage to central nervous system, heart, kidneys, respiratory system.

**Delayed**

May damage fertility or the unborn child. Causes damage to respiratory system, kidneys, heart, central nervous system through prolonged or repeated exposure.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

**Section 5 - FIRE FIGHTING MEASURES**

**Extinguishing Media**

**Suitable Extinguishing Media**

Carbon dioxide, regular foam, dry chemical, water.

**Unsuitable Extinguishing Media**

Do not use water jet.

**Special Hazards Arising from the Chemical**

Slight fire hazard.

**Hazardous Combustion Products**

Oxides of carbon

**Fire Fighting Measures**

Use methods suitable to fight surrounding fire. Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Avoid inhalation of material or combustion by-products.

**Special Protective Equipment and Precautions for Firefighters**

Wear personal protective clothing and equipment such as self-contained breathing apparatus (SCBA) for protection against possible exposure.

**Section 6 - ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

**Methods and Materials for Containment and Cleaning Up**

Remove all ignition sources. Stop leak if you can do it without risk. Absorb spill with inert material. Shovel material into appropriate container for disposal. Do not touch or walk through spilled product. Avoid dust generation and accumulation. Avoid breathing vapors or fumes. Avoid release to the environment.

**Environmental Precautions**

Avoid release to the environment. Collect spillage.

**Section 7 - HANDLING AND STORAGE****Precautions for Safe Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Conditions for Safe Storage, Including any Incompatibilities**

Store locked up.

Further information on storage conditions: Keep away from heat, sparks, or flame. Store away from strong acids.

**Incompatible Materials**

Strong acids.

**Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION****Component Exposure Limits**

<b>Ethylene glycol</b>	<b>107-21-1</b>
ACGIH:	100 mg/m <sup>3</sup> Ceiling aerosol only
Europe:	20 ppm TWA ; 52 mg/m <sup>3</sup> TWA
	Possibility of significant uptake through the skin
	40 ppm STEL ; 104 mg/m <sup>3</sup> STEL
Mexico:	100 mg/m <sup>3</sup> Ceiling aerosol

**EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures**

There are no biological limit values for any of this product's components.

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

**Engineering Controls**

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

**Individual Protection Measures, such as Personal Protective Equipment****Eye/face protection**

Wear chemical safety goggles with a face shield to protect against skin and eye contact when appropriate.

**Skin Protection**

Wear appropriate work clothing.

**Respiratory Protection**

Respiratory protection is required for not sufficiently ventilated working places and during the spraying processing.

**Glove Recommendations**

Wear appropriate chemical resistant gloves: neoprene, rubber gloves.

<b>Section 9 - PHYSICAL AND CHEMICAL PROPERTIES</b>
---

<b>Appearance</b>	dark red liquid	<b>Physical State</b>	liquid
<b>Odor</b>	sweet	<b>Color</b>	Not available
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	212 °F (approx )
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	>100 °C (>212 °F)
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	Not available
<b>Water Solubility</b>	100 %	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Density</b>	Not available	<b>Molecular Weight</b>	Not available

**Other Information**

No additional information available for the product.

<b>Section 10 - STABILITY AND REACTIVITY</b>
--

**Chemical Stability**

Stable under normal temperatures and pressures.

**Possibility of Hazardous Reactions**

Hazardous polymerization is not expected to occur.

**Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Keep away from incompatible materials.

**Incompatible Materials**

Strong acid.

**Hazardous decomposition products**

Oxides of carbon

## Thermal decomposition products

Oxides of carbon.

# Section 11 - TOXICOLOGICAL INFORMATION

## Information on Likely Routes of Exposure

### Inhalation

No information on significant adverse effects.

### Skin Contact

No information on significant adverse effects.

### Eye Contact

No information on significant adverse effects.

### Ingestion

No information on significant adverse effects.

## Acute and Chronic Toxicity

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Ethylene glycol (107-21-1)

Oral LD50 Rat 4700 mg/kg

Dermal LD50 Rat 10600 mg/kg

## Product Toxicity Data

### Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

### Immediate Effects

Causes damage to central nervous system, heart, kidneys, respiratory system.

### Delayed Effects

May damage fertility or the unborn child. Causes damage to respiratory system, heart, kidneys, central nervous system through prolonged or repeated exposure.

### Irritation/Corrosivity Data

No information on significant adverse effects.

### Respiratory Sensitization

No data available.

### Dermal Sensitization

No data available.

### Component Carcinogenicity

Ethylene glycol	107-21-1
ACGIH:	A4 - Not Classifiable as a Human Carcinogen

### Germ Cell Mutagenicity

No data available.

### Tumorigenic Data

No data available

### Reproductive Toxicity

No data available.

### Specific Target Organ Toxicity - Single Exposure

Central Nervous System, heart, respiratory system, kidneys

### Specific Target Organ Toxicity - Repeated Exposure

Central Nervous System, heart, respiratory system, kidneys

### Aspiration hazard

No information available for product.

### Medical Conditions Aggravated by Exposure

No data available.

## Section 12 - ECOLOGICAL INFORMATION

### Component Analysis - Aquatic Toxicity

<b>Ethylene glycol</b>	<b>107-21-1</b>
Fish:	LC50 96 h Oncorhynchus mykiss 41000 mg/L; LC50 96 h Oncorhynchus mykiss 14 - 18 mL/L [static ]; LC50 96 h Lepomis macrochirus 27540 mg/L [static ]; LC50 96 h Oncorhynchus mykiss 40761 mg/L [static ]; LC50 96 h Pimephales promelas 40000 - 60000 mg/L [static ]; LC50 96 h Poecilia reticulata 16000 mg/L [static ]
Algae:	EC50 96 h Pseudokirchneriella subcapitata 6500 - 13000 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 46300 mg/L IUCLID
<b>Trisodium citrate dihydrate</b>	<b>6132-04-3</b>
Fish:	LC50 96 h Poecilia reticulata 18000 - 32000 mg/L (related to Trisodium citrate)
Invertebrate:	EC50 48 h Daphnia magna 5600 - 10000 mg/L IUCLID (related to Trisodium citrate)

### Persistence and Degradability

No information available for the product.

### Bioaccumulative Potential

No information available for the product.

### Mobility

No information available for the product.

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. The responsibility for proper waste disposal lies with the owner of the waste.

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

UN/NA #: Not regulated as a hazardous material

### IATA Information:

UN#: Not regulated as a hazardous material

### ICAO Information:

UN#: Not regulated as a hazardous material

### IMDG Information:

UN#: Not regulated as a hazardous material

### TDG Information:

UN#: Not regulated as a hazardous material

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

<b>Ethylene glycol</b>	<b>107-21-1</b>
SARA 313:	1 % de minimis concentration
CERCLA:	5000 lb final RQ ; 2270 kg final RQ

### SARA Section 311/312 (40 CFR 370 Subparts B and C)

**Acute Health:** Yes **Chronic Health:** Yes **Fire:** No **Pressure:** No **Reactivity:** No

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
<b>Ethylene glycol</b>	<b>107-21-1</b>	Yes	Yes	Yes	Yes	Yes

### The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

<b>Ethylene glycol</b>	<b>107-21-1</b>
Repro/Dev. Tox	developmental toxicity , 6/19/2015 (ingested )

### Canada Regulations

#### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

<b>Ethylene glycol</b>	<b>107-21-1</b>	1 %
------------------------	-----------------	-----

### Component Analysis - Inventory

#### Ethylene glycol (107-21-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR-TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

#### Trisodium citrate dihydrate (6132-04-3)

US	CA	EU	AU	PH	JP-ENCS	JP - ISHL	KR -KECI/KECL	KR-TCCA	CN	NZ	MX	TW
No	No	No	Yes	Yes	No	No	No	No	Yes	Yes	No	Yes

#### PEG-75 Lanolin (8039-09-6)

US	CA	EU	AU	PH	JP-ENCS	JP-ISHL	KR-KECI/KECL	KR-TCCA	CN	NZ	MX	TW
No	No	No	No	No	No	No	No	No	No	No	No	Yes

## Section 16 - OTHER INFORMATION

### NFPA Ratings

Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Summary of Changes

New SDS: April 28, 2016 / SDS Update Rev 1: October 10, 2016 / SDS Update Rev 2: May 17, 2018

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorization, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

### Other Information

#### Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.